www.balicoolers.com

SCAN ME

GEA®

One Stop Supply Commercial
Refrigeration & Medical
Refrigeration



S/S Kitchen Refrigeration

Product Catalogue

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

Stainless Steel Ref. Cabinet

www.balicoolers.com

SCAN ME

S/S Upright Chiller

GN Series | GN 2/1 | CFC & HCFC FREE

Stainless steel refrigerated cabinet dengan dua pilihan (chiller dan freezer) yang disertai beberapa variasi jumlah pintu. Juga tersedia dengan opsi pass through door (bisa diakses dari kedua sisi). Cocok untuk ditempatkan di dapur komersial yang dapat beroperasi hingga suhu 43°C.

M-RW8U1HH

M-RW8U2HHHH
M-RW8U2HHHH-P

Features

- Full-body stainless steel
- Digital temperature control
- Automatic back door
- Removeable drop-in air cooling system
- Automatic defrost
- Poly-coated evaporator
- Round corner design inside refrigerator (easy-to-clean & hygiene)
- Adjustable feet
- GN design 2/1
- Heating wire for door frame/gasket
- Electric expansion valve

PASS TROUGH



TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V/1P)	TEMP.	SHELF (pcs)	WEIGHT (kg) Nett | Gross	REFR.
M-RW8U1HH	73,7	81,5	198	550	430		3	137,5 / 145,5	R290
M-RW8U2HHHH	140	81,5	198	1170	460	-2 ~ +8°C	6	199 / 214	R290
M-RW8U2HHHH-P	140	81,5	198	1170	590		6	208 / 259	R134

S/S Upright Freezer

GN Series | GN 2/1 | CFC & HCFC FREE

Features

- Full-body stainless steel
- Digital temperature control
- Automatic back door
- Removeable drop-in air cooling system
- Automatic defrost
- Poly-coated evaporator
- Round corner design inside refrigerator (easy-to-clean & hygiene)
- Adjustable feet
- GN design 2/1
- Heating wire for door frame/gasket
- Electric expansion valve

L-RW8U1HH

L-RW8U2HHHH

TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V/1P)	TEMP.	SHELF (pcs)	WEIGHT (kg) Nett | Gross	REFR.
L-RW8U1HH	73,7	81,5	198	550	650	-15 ~ -22°C	3	137,5 / 145,5	R290
L-RW8U2HHHH	140	81,5	198	1170	800		6	199 / 214	R290

PT. SUMBER REJEKI SENTOSA INDONESIA | 0813-38-9999-83 | Jl. Gatot Subroto Barat 439, Denpasar, Bali

Stainless Steel Under Counter

www.balicoolers.com

SCAN ME

S/S Back Bar Bottle Cooler

CFC & HCFC FREE

Stainless steel refrigerated cabinet untuk display botol dan minuman yang biasa diletakkan di bagian belakang bar. Dirancang khusus untuk dapat digunakan pada peletakkan yang rapat ke dinding (indoor).

Features
- Front hot air circulation, suitable for placement against the wall
- Digital thermostat
- Interior light
- Stainless steel body

BB-W5T2

BB-W5T3





TYPE	DIMENSION (cm) L	W	H	BOTTLE CAPACITY (330 ml)	VOL. (L)	WATT (220V/1P)	WEIGHT (kg) Nett | Gross	REFR.
BB-W5T2	90	53	90	105 bottles & 65 cans	180	260	90 / 120	R134a
BB-W5T3	135	53	90	167 bottles & 105 cans	277	440	110 / 145	

Glass Door S/S Under Counter

Stainless steel refrigerated cabinet berbentuk meja untuk menyimpan minuman kemasan, sayuran, buah, susu, dll yang biasa diletakkan pada area kerja bar.

GN Series GN 1/1

CFC & HCFC FREE

Features
- GN 1/1 design
- Full stainless steel exterior & interior
- Removeable cassette refrigeration system
- Embraco/Secop compressor
- Digital temperature control
- Electronic expansion valve
- HFC245 insulation foam, ozone friendly
- Auto hot glass defrost with self-evaporated system
- Poly-coated evaporator to prevent corrosion & ensure food safety
- Removeable door heater & gasket for easy maintenance
- Removeable S/S bracket & tray slide
- Inner chamber with round corner design for easy cleaning
- Door lock, adjustable feed & poly carbonate wire shelf, door heater, LED lamp.

M-RW6T1D

M-RW6T3DDD

M-RW6T2DD

M-RW6T4DDDD

TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V/50Hz)	TEMP.	SHELF (set)	WEIGHT (kg) Nett | Gross	REFR.
M-RW6T1D	95,5	70	85	123	440	-2 ~ +8°C	1	89 / 100	R134a
M-RW6T2DD	142	70	85	325	350		2	118 / 130	R290
M-RW6T3DDD	188,5	70	85	420	480		3	148 / 163	R134a
M-RW6T4DDDD	235	70	85	590	465		4	220 / 241	R290

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

Stainless Steel Under Counter

www.balicoolers.com

SCAN ME

S/S Under Counter Chiller

Stainless steel refrigerated cabinet berbentuk meja dengan suhu chiller untuk menyimpan daging, sayuran, buah, susu, minuman kemasan, dll yang biasa diletakkan pada area dapur.

GN Series
GN 1/1
CFC & HCFC FREE

Features

- GN 1/1 design
- Full stainless-steel exterior & interior
- Removable cassette refrigeration system
- Embraco / Secop compressor
- Digital temperature control
- Electronic expansion valve
- HFC245 insulation foam, Ozone friendly
- Auto hot gas defrost w/ self-evaporated system
- Poly coated evaporator to prevent corrosion & ensure food safety
- Removable door heater & gasket for easy maintenance
- Removable S/S bracket & tray slide
- Inner chamber with round corner design for easy cleaning
- Door lock, adjustable feet & poly coated wire shelf

M-RW6T4HHHH

PASS TROUGH



M-RW6T2HH
M-RW7T2HH-P (PASS THROUGH)

M-RW6T3HHH

TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V/50Hz)	TEMP.	SHELF (pcs)	WEIGHT (kg) Nett | Gross	REFR.
M-RW6T2HH	142	70	85	325	350	-2 ~ +8°C	2	108,5 / 120	R290
M-RW7T2HH-P	181,4	76	85	416	510		2	146	R134a
M-RW6T3HHH	188,5	70	85	420	465		3	153 / 168	R290
M-RW6T4HHHH	235	70	85	590	465		4	178 / 198	R290

S/S Under Counter Freezer

Stainless steel refrigerated cabinet berbentuk meja dengan suhu freezer untuk menyimpan bahan makanan yang biasa diletakkan pada area dapur.

GN Series
GN 1/1
CFC & HCFC FREE

Features

- GN 1/1 design
- Full stainless-steel exterior & interior
- Removable cassette refrigeration system
- Embraco / Secop compressor
- Digital temperature control
- Electronic expansion valve
- HFC245 insulation foam, Ozone friendly
- Auto hot gas defrost w/ self-evaporated system
- Poly coated evaporator to prevent corrosion & ensure food safety
- Removable door heater & gasket for easy maintenance
- Removable S/S bracket & tray slide
- Inner chamber with round corner design for easy cleaning
- Door lock, adjustable feet & poly coated wire shelf

L-RW6T4HHHH

L-RW6T2HH

L-RW6T3HHH

TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V/50Hz)	TEMP.	SHELF (pcs)	WEIGHT (kg) Nett | Gross	REFR.
L-RW6T2HH	142	70	85	325	540	-15 ~ -20°C	2	108,5 / 120	R290
L-RW6T3HHH	188,5	70	85	420	670		3	137,5 / 153	R290
L-RW6T4HHHH	235	70	85	590	670		4	178 / 198	R290

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

Stainless Steel Ref. Cabinet

www.balicoolers.com

SCAN ME

S/S Upright Combi 4 Door

GN Series | GN 2/1 | CFC & HCFC FREE

Stainless steel refrigerated cabinet yang terdiri dari chiller dan freezer dengan sistem pendinginan tanpa bunga es.

D-RW8U2HHHH

Features

- GN 2/1 design
- Poly coated evaporator to prevent corrosion & ensure food safety
- Removable door frame heater & gasket for easy maintenance
- Removable S/S bracket & tray slide
- Inner chamber with round corner design for easy cleaning
- Door lock, castor& poly coated wire shelf
- Full stainless-steel exterior & interior
- 2 independent refrigeration system
- Embraco / Secop Compressor
- Digital temperature control
- Electronic expansion valve
- Ozone friendly insulation foam
- Auto hot gas defrost with self-evaporated system

TYPE	DIMENSION (cm)			VOL.	WATT	TEMP.	SHELF	WEIGHT (kg)	REFR.
	L	W	H	(L)	(220V/50Hz)		(pcs)	Net | Gross	
D-RW8U2HHHH	140	81,5	198	1100	850	+2 / -22°C	6	237 / 252	R134a/ R404a

S/S Glass Door Upright Chiller

GN Series | GN 2/1 | CFC & HCFC FREE

M-RW8U1G

M-RW8U2GG

Features

- GN 2/1 design
- Poly coated evaporator to prevent corrosion & ensure food safety
- Removable door frame heater & gasket for easy maintenance
- Removable S/S bracket & tray slide
- Inner chamber with round corner design for easy cleaning
- Door lock, castor& poly coated wire shelf
- Full stainless-steel exterior & interior
- Removable drop-in refrigeration system
- Embraco / Secop Compressor
- Digital temperature control
- Electronic expansion valve
- Ozone friendly insulation foam
- Auto hot gas defrost with self-evaporated system
- Glass heater to prevent condensation
- LED lamp

TYPE	DIMENSION (cm)			VOL.	WATT	TEMP.	SHELF	WEIGHT (kg)	REFR.
	L	W	H	(L)	(220V/50Hz)		(set)	Nett | Gross	
M-RW8U1G	73,7	81,5	198	550	490	-2 ~ +8°C	3	144 / 152	R290
M-RW8U2GG	140	81,5	198	1170	590		6	211 / 226	

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

S/S Commercial Regfrigerated Cabinet

www.balicoolers.com

SCAN ME

Upright Chiller

ASIAN SERIES

Kabinet untuk menyimpan produk buah, sayuran susu, dll. Dapat digunakan untuk dapur hotel, katering, restaurant, kantin dsb.

2 DOORS

URC-550-2D

4 DOORS

URC-1200-4D

6 DOORS

URC-1800-6D

COMBI | 4 DOORS

URFC-1200-4D

TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V//1P/50Hz)	TEMP.	SHELF (set)	WEIGHT (kg)	REFR.
URC-550-2D	74	70	205	500	350	-2 ~ +10°C	3	108	R134a
URC-1200-4D	140	70	205	1000	560	-2 ~ +10°C	6	178	R134a
URC-1800-6D	199,5	70	205	1500	1000	-2 ~ +10°C	9	245	R134a
URFC-1200-4D	140	82	205	(C) 550 (F) 550	950	+2 / -22°C	6	200	R134a R404a

Upright Freezer

Kabinet untuk menyimpan produk yang sudah beku seperti daging beku, produk hasil laut, nugget, bakso, french fries, dll. Untuk digunakan pada dapur hotel, katering, restaurant, kantin, dsb.

2 DOORS

URF-550-2D

4 DOORS

URF-1200-4D

6 DOORS

URF-1800-6D

TYPE	DIMENSION (cm) L	W	H	VOL. (L)	WATT (220V//1P/50Hz)	TEMP.	SHELF (set)	WEIGHT (kg)	REFR.
URF-550-2D	74	70	205	500	750		3	110	
URF-1200-4D	140	70	205	1000	880	-18 ~ -22°C	6	180	R404a
URF-1800-6D	199,5	70	205	1500	1650		9	245	

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

S/S Undercounter Chiller-Freezer

www.balicoolers.com

SCAN ME

Chiller

ASIAN SERIES

Kabinet untuk menyimpan produk buah, sayuran susu, dll. digunakan pada dapur hotel, katering, restaurant, kantin dsb.

2 DOORS

UCC-120-2D
UCC-150-2D

3 DOORS

UCC-180-3D

4 DOORS

UCC-225-4D

TYPE	DIMENSION (cm)			VOL.	WATT	TEMP.	WEIGHT	REFRIGERANT
	L	W	H	(L)	(220V/1P/50Hz)		(kg)	
UCC-120-2D	120	70	85	310	350	-2 ~ +10°C	95	R134a
UCC-150-2D	150	70	85	360	360		100	
UCC-180-3D	180	70	85	400	360		116	
UCC-225-4D	225	70	85	520	360		140	

Freezer

Kabinet untuk menyimpan produk yang sudah beku, seperti: Daging beku, produk hasil laut, nugget, bakso, french fries, dll. digunakan pada dapur hotel, katering, restaurant, kantin dsb.

2 DOORS

UCF-150-2D

3 DOORS

UCF-180-3D

TYPE	DIMENSION (cm)			VOL.	WATT	TEMP.	WEIGHT	REFR.
	L	W	H	(L)	(220V/1P/50Hz)		(kg)	
UCF-150-2D	150	70	85	360	600	-18 ~ -22°C	100	R404a
UCF-180-3D	180	70	85	400	700		116	

Embraco Compressors, Dixell Controller, EBM Fan.

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

Stainless Steel Under Counter

www.balicoolers.com

SCAN ME

S/S Under Counter Chiller Drawer Series

GN Series | GN 1/1 | CFC & HCFC FREE

Stainless steel refrigerated cabinet berbentuk meja yang dilengkapi dengan laci geser untuk mempermudah akses pengambilan dan pengaturan barang.

Features

- GN 1/1 design
- Full stainless-steel exterior & interior
- Removable cassette refrigeration system
- Embraco / Secop compressor
- Digital temperature control
- Electronic expansion valve
- HFC245 insulation foam, ozone friendly
- Auto hot gas defrost w/ self-evaporated system
- Poly coated evaporator to prevent corrosion & ensure food safety
- Removable door heater & gasket for easy maintenance
- Inner chamber with round corner design for easy cleaning
- Adjustable feet

M-RW6T2NN

M-RW6T3NNN

TYPE	DIMENSION *(cm)*			VOL.	WATT	TEMP.	SHELF	WEIGHT *(kg)*	REFR.
	L	*W*	*H*	*(L)*	*(220V/50Hz)*		*(pcs)*	*Nett | Gross*	
M-RW6T2NN	142	70	85	325	460	-2 ~ +8°C	4	128 / 140	R134a
M-RW6T3NNN	188,5	70	85	420	480		6	186 / 201	

S/S Undercounter Chiller for Salads & Pizza

www.balicoolers.com

SCAN ME

Stainless steel refrigerated cabinet berbentuk meja dengan tambahan kompartemen atas untuk meletakkan berbagai variasi topping dan kabinet bagian bawah yang bisa digunakan untuk menyimpan daging, sayuran, buah, susu, minuman kemasan, dll.

GN 2/1

CFC & HCFC FREE

PW10

PW20

Features
- Stainless steel body
- Digital temperature control
- Removable cassette air cooling system
- Automatic defrost
- Poly coated evaporator
- Round corner design inside refrigerator (easy to clean & hygiene)
- Adjustable feet
- Include GN Pan 1/3-4 +
- Stainless steel cover

TYPE	DIMENSION (cm) L	W	H	GN PAN (GN 1/3-4)	VOL. (L)	WATT (220V/1P)	TEMP.	WEIGHT (kg) Nett | Gross	REFR.
PW10	115,2	76	105	5	195	420	+2 ~ +8°C	122 / 190	R134a
PW20	181,5	76	105	9	416	450		165 / 246	

GN 1/1

CFC & HCFC FREE

SC-03-2D

SC-04-3D

Features
- Stainless steel body
- Digital temperature control
- Push-pull refrigerant unit
- Draining system
- Self-closing door
- Wide round edge and cornes
- GN 1/1 container
- Adjustable feet

TYPE	DIMENSION (cm) L	W	H	GN PAN	VOL. (L)	WATT (220V/50Hz/1P)	TEMP.	WEIGHT (kg)	REFR.
SC-03-2D	104,5	70	85	3 x GN1/1-4	310	270	0 ~ +10°C	86	R134a
SC-04-3D	136	70	85	4 x GN1/1-4	390	340		102	

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

S/s Meat Ager Showcase

Mesin Dry Ager

Kabinet untuk proses Aging daging segar, dengan tujuan meningkatkan rasa dan tekstur daging (lunak). Proses aging dapat dilakukan dalam beberapa hari hingga mingguan sehingga proses pelepasan enzym dari daging terjadi secara alami.
Unit sudah dilengkapi digital control suhu dan humidity.

Dengan penggabungan teknologi Ultraviolet type C + Activated carbon mampu mensterilkan udara di dalam kabinet, sehingga mampu menahan perkembangbiakan kuman dan bakteri.
Cocok untuk produk daging ham, steak dry aged beef, keju, dll.

CFC & HCFC FREE

Features
- UV-C sterilizer
- Activated carbon ventilation system
- Ventilated cooling
- Temperature & humidity controller
- No frost system
- Adjustable shelf
- Humidity range: 30 ~ 80%
- Double tempered glass
- Stainless steel body

RTB-320B



RTB-480B



Activated Carbon

RTB-320B

- Sudah termasuk : 1 hanger, 2 hook, 2 shelf, salt +tray

RTB-480B

- Sudah termasuk : 2 hanger, 4 hook, 3 shelf, salt + tray

Note :
- Untuk menghasilkan proses aging terbaik, daging yang digunakan adalah daging segar (fresh meat), atau bisa juga daging yang sudah didinginkan (chilled) dengan batas waktu maksimal 30 hari dari tanggal pemotongan.
- Tidak disarankan menggunakan daging beku yang sudah melalui proses thawing.
- Penghitungan waktu Aging adalah dimulai dari tanggal pemotongan hewan, sampai proses Aging selesai.

TYPE	DIMENSION (cm)			CAPACITY	WATT	REFRIG.	TEMP	SHELF	WEIGHT
	L	W	H	(L)	(220V/50Hz/1P)		(° C)	(set)	(kg)
RTB-320B	70	81	126,2	320	280	R290	+2 ~ +8	2	105
RTB-480B	70	81	166,2	480	280	R290	+2 ~ +8	3	122

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

S/S Refrigerated Cabinet

www.balicoolers.com

SCAN ME

Roll-in S/S Upright Chiller/Freezer

GN 2/1

CFC & HCFC FREE

Kabinet pendingin yang dirancang untuk mempermudah memasukkan / mengeluarkan seluruh produk secara bersamaan sehingga menghemat waktu operasional. Sudah termasuk Trolley GN ukuran 2/1.

Tidak termasuk GN PAN

M-RW9U1F-T/ L-RW9U1F-T

M-RW9U2FF-T/ L-RW9U2FF-T

TYPE	DIMENSION (cm)			VOL.	WATT	TEMP.	TROLLEY	WEIGHT (kg)	REFR.
	L	W	H	(L)	(220V/50Hz)			Nett | Gross	
M-RW9U1F-T	90,5	98,2	246	1195	520	-2 ~ +4°C	1	228,5 / 283,5	R134a
L-RW9U1F-T	90,5	98,2	246	1195	750	-18 ~ -22°C	1	228,5 / 283,5	R404a
M-RW9U2FF-T	185	98,2	246	2710	665	-2 ~ +4°C	2	372 / 477,8	R134a
L-RW9U2FF-T	185	98,2	246	2710	825	-18 ~ -22°C	2	372 / 477,8	R404a

S/S Dough Retarder Cabinet

Kabinet pendingin ini dirancang untuk menghentikan proses pengembangan pada adonan roti, dipergunakan sebagai stok pada jam-jam sibuk.

CFC & HCFC FREE

Features

- Digital controller
- External LED lamp
- Strong magnetic gasket
- Castor with brake
- Monoblock cooling system
- Extra-thick insulation
- 15 guide for pastry pan 60x40
- Round edge & corner
- Lock & key

Tidak termasuk loyang

DRC-550-1D

TYPE	DIMENSION (cm)			VOL.	WATT	TEMP.	WEIGHT	REFRIGERANT
	L	W	H	(L)	(220V/1P/50Hz)		(kg)	
DRC-550-1D	70	82	205	550	350 W	-2 ~ +10°C	112	R134a

S/S Counter Top Salad Case

www.balicoolers.com

SCAN ME



Sudah termasuk GN Pan + Cover

Features

- Digital controller
- Stainless steel body
- High density insulation
- Embraco compressor
- Static cooling



STC-188

TYPE	DIMENSION (cm) L	W	H	GN PAN (GN 1/4-4)	VOL. (L)	WATT (220V/50Hz_)	TEMP.	WEIGHT (kg)	REFR.
STC-120	120	33,5	43	5 pcs	32	145	0 ~ +10°C	34	R134a
STC-142	142	33,5	43	6 pcs	40	145		38	
STC-150	150	33,5	43	7 pcs	44	145		40	
STC-180	180	33,5	43	9 pcs	55	145		46	
STC-188	188,5	33,8	43	9 pcs	58	145		46	

Marble Top Counter for Salad Case







STAR WHITE | NERO (BLACK) | HAZEL WHITE

INNER DIMENSION OF MARBLE TOP COUNTER

TYPE	STAR WHITE	NERO (BLACK)	HAZEL WHITE
For M-RW6T2HH			
For M-RW6T3HHH			

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

Salad Case Display

www.balicoolers.com

SCAN ME

Kabinet pendingin yang biasa diletakkan di atas Under Counter untuk salad dan topping, tidak perlu melubangi meja kerja Under Counter.

GN 1/6-4

CFC & HCFC FREE

Table Top Salad Case

RTW-67L

Features
- Digital thermostat
- Fan cooling system
- Curve glass door
- Include 8 pcs GN 1/6-4



OPTIONAL: 4 BIN @ 5L

Island Salad Bar

Features
- GN Pan stainless steel 1/1
- Digital thermostat
- Wooden body (front & side)
- Color: Walnut
- 4 wheels (2 with stopper)
- Sneezer guard + lamp
- Static cooling

RTS-2150L

RTS-1490L

RTS-1210L

TYPE	DIMENSION *(cm)*			GN PAN	VOL.	WATT	TEMP.	WEIGHT *(kg)*	REFR.
	L	*W*	*H*	*(pcs)*	*(L)*			*Nett | Gross*	
RTW-67L	76,5	61	34	8 x GN1/6-4	67	110 W	+4 ~ +12°C	25 / 27	R290a
RTS-1210L	121	76,6	133,8	3 x GN1/1, 15 cm deep	67,5	150 W	+2 ~ +10°C	104	R600a
RTS-1490L	149	76,6	133,8	4 x GN1/1, 15 cm deep	90	170 W	+2 ~ +10°C	121 / 173	R600a
RTS-2150L	215	76,6	133,8	6 x GN1/1, 15 cm deep	135	190 W	+2 ~ +10°C	156 / 217	R600a

S/S Blast Chiller & Shock Freezer

www.balicoolers.com

SCAN ME

CFC & HCFC FREE

AK15-D

AK08-D

AK11-D

Kabinet pendingin yang berfungsi menurunkan suhu berbagai jenis produk makanan (siap saji, daging segar, sayuran, adonan roti dan lain sebagainya) dengan cepat dan secara merata untuk menjaga kualitas / kesegaran produk tetap optimal. Proses penurunan suhu biasa dilakukan untuk menjaga kelembaban produk tetap tinggi, mencegah perubahan warna dan rasa pada produk, dan mencegah berkembang biaknya bakteri.

Fungsi Blast Chiller mampu menurunkan suhu produk dari +90°C menjadi +3°C dalam waktu 90 menit.

Fungsi Shock Freezer mampu menurunkan suhu produk dari +90°C menjadi -18°C dalam waktu 240 menit.

Dilengkapi dengan jarum sensor untuk mendeteksi suhu produk bagian dalam (tengah). Rak bisa diatur ketinggiannya dan dengan ukuran sesuai untuk Gastronom Pan 1/1 atau Bakery Pan 400 x 600 mm.

Jarak antar rak 70 mm (pitch size).

TYPE	DIMENSION (cm)			SHELF	VOL.	WATT	CAPACITY	TEMP.	WEIGHT	REFR.
	L	W	H	(pcs)	(L)	(380/3P)	(kg/cycle)	(°C)	(kg)	
AK08-D	79	80	132	8	315	2100	20 ~ 30		142	R404a
AK11-D	79	80	168	11	400	2850	30 ~ 40	-18~-39	170	R404a
AK15-D	79	80	195	15	510	4840	40 ~ 55		200	R404a

Blast Freezer

Aplikasi : Perusahaan pengolahan : Daging, Seafood, Catering dan Restoran, Hotel. Produk yang akan dibekukan dengan suhu awal 30°C, dapat dibekukan menjadi -20°C dalam waktu 6 sampai dengan 8 jam.

CFC & HCFC FREE

Blast freezer adalah unit pembeku cepat yang berfungsi :

- Mencegah berkurangnya kandungan cairan dalam daging/seafood (menjaga kelembaban produk tetap tinggi)
- Mencegah perubahan warna dan rasa pada daging/ikan
- Mencegah berkembang biaknya bakteri

FORCED AIR - PLUG IN

Features

- Digital thermostat
- Trolley 1 pcs
- Pitch : 7cm
- Condensing Unit menyatu dengan blast freezer

T-26D
1 Trolley - GN2/1
For 13 pcs GN2/1

T-40D
1 Trolley - GN2/1
For 20 pcs GN2/1

TYPE	DIMENSION (cm)			FREEZING CAP/ CYCLE	VOL (L)	WATT (380V/3P)	TROLLEY	TEMP.	COMP	REFR.	WEIGHT (kg) Nett | Gross
T-26D	89	130	186,5	50 ~ 65 kg	735	5200	1 pcs	-20 ~ -35°C	Tecumseh	R404a	340/362
T-40D	153	130	197	65 ~ 80 kg	1060	6920	1 pcs	-20 ~ -35°C	Bitzer	R404a	550 / 670

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

www.balicoolers.com

SCAN ME

Poultry Dry Cabinet

Lemari pendingin yang berfungsi untuk mengurangi kadar minyak pada ayam/bebek.

CFC & HCFC FREE

Features

- Digital temperature controller
- Low-E door glass (anti fog)
- Interior LED lamp

Saran pengaturan suhu

Angsa : 3,5 sd. 5 jam
Temperatur : 13 ~ 16°C, RH: 70%

Peking duck : 8 jam
Temperatur : 14 ~ 18°C, RH: 45 ~ 50%

Ayam : 20 ~ 30 menit
Temperatur : 20°C, RH: 45 ~ 50%

Perlu ditiup angin kompresor untuk memisahkan daging dari kulit

EXPO FPR-1500

TYPE	DIMENSION *(cm)*			VOL.	WATT	TEMP.	WEIGHT	REFR.
	L	*W*	*H*	*(L)*	*(220V/1P)*		*(kg)*	
EXPO FPR-1500	170,5	68	218	1500	1800	0 ~ +16°C	480	R410a

PT. SUMBER REJEKI SENTOSA INDONESIA 0813-38-9999-83 Jl. Gatot Subroto Barat 439, Denpasar, Bali

bali coolers

www.balicoolers.com

SCAN ME

PT. SUMBER REJEKI SENTOSA INDONESIA

0813-38-9999-83

Jl. Gatot Subroto Barat 439, Denpasar, Bali