





GEA[®]

One Stop Supply Commercial
Refrigeration & Medical
Refrigeration



Dispenser

Product Catalogue



Water Dispenser



www.balicoolers.com

Dispenser air mineral yang memiliki fitur panas, normal, dan dingin yang didesain dengan fleksibilitas penggunaan di rumah tangga dan komersial.



Features

- Practical bottom loading
- 3 buttons (hot, normal, cold)
- Stainless steel pipe
- Low water indicator lights
- Automatic pump
- Stainless steel tank
- Children safety lock



SNI IEC 60335-2-15:2011
LSPr-004-IDN
NPB-2-104-116-211482-5

HALLEY
Galon di bawah



Features

- 3 buttons (hot, normal, cold)
- Indicator light
- High-efficiency compressor cooling
- 16L Cabinet for storage
- Cooling capacity : 2 L/hour
- Heating capacity : 2,2 L/hour
- Children safety lock, spill Prove, Low Noise



SNI IEC 60335-2-15:2011
LSPr-004-IDN
NPB-2-104-116-211482-5

YUPITER
Galon di atas



(White)



(Black)

Features

- Bottom loading
- 3 buttons (hot, normal, cold)
- Low water indicator lights
- Automatic pump (*)
- Indicator light
- Compressor cooler
- S/s tank (SUS 304)
- Children safety lock
- Front panel: white & silver
- Cooling capacity: 2 L/hour
- Heating capacity: 2,2 L/hour
- Push button faucet



SNI IEC 60335-2-15:2011
LSPr-004-IDN
NPB-2-104-116-211482-5

ORION
Galon di bawah



Features

- Self sanitizing with UV Lamp (untuk membunuh virus & bakteri)
- Black stainless steel front panel
- Slim design
- 3 buttons (hot, normal, cold)
- Automatic pump
- Stainless steel tank
- Children safety lock
- Water level indicator lights
- Practical, bottom loading
- Stainless steel piping system



SNI IEC 60335-2-15:2011
LSPr-004-IDN
NPB-2-104-116-211482-5

STAR
Galon di bawah



| TYPE | DIMENSION (cm) | | | WATT (220V/1P) | | TEMP. (°C) | | WEIGHT (kg) | REFR. |
|-------------|----------------|------|-------|----------------|------|------------|--------|-------------|-------|
| | L | W | H | Hot | Cold | Hot | Cold | | |
| HALLEY | 35,8 | 33,9 | 106,2 | 190 | 100 | +/- 90 | +/- 10 | 17 | R134a |
| YUPITER | 31 | 33,6 | 101,2 | 190 | 100 | +/- 90 | +/- 10 | 13,9 | R134a |
| ORION White | 36,3 | 33,9 | 106,2 | 190 | 100 | +/- 90 | +/- 10 | 15/17 | R134a |
| ORION Black | 36,3 | 33,9 | 106,2 | 190 | 100 | +/- 90 | +/- 10 | 15/17 | R134a |
| STAR | 31 | 35,7 | 108,6 | 190 | 100 | +/- 90 | +/- 10 | 17 | R134a |





Water Dispenser

Dispenser galon bawah dengan teknologi sinar ultra violet, menjadikan hidup lebih higienis. Dengan design panel depan dari stainless steel menambah kesan elegan tampilannya. Dilengkapi digital display temperatur untuk memudahkan melihat suhu air.

Features

- Digital display temperature
- UV Lamp
- Practical bottom loading
- 3 buttons (hot, normal, cold)
- Stainless steel tank
- Runs-out water indicator
- Automatic pump
- Children safety lock
- Water capacity : Hot 4L/hour
Cold 2L/hour



Teknologi sinar UV membunuh 99% mikroorganisme di dalam air yang dapat menyebabkan penyakit, seperti bakteri, virus, dan jamur.



| TYPE | DIMENSION (cm) | | | WATT (220V/1P) | | TEMP. (°C) | | REFRIG. | WEIGHT (kg) |
|----------------|----------------|------|-------|----------------|------|------------|--------|---------|-------------|
| | L | W | H | Hot | Cold | Hot | Cold | | |
| POLARIS | 31 | 36,5 | 108,6 | 190 | 100 | ± 90 | ± 10°C | R134a | 16 |


Reverse Osmosis

Teknologi pemurnian air yang membuat hidup lebih praktis dan higienis. Dilengkapi fitur yang mampu menghilangkan bau, warna, serta menyaring partikel kotoran dan berbagai macam polutan berbahaya pada air.

Features

- Food grade
- Children safety lock
- High quality pump for water circulation
- Elegant design with black stainless steel case
- 4 steps water purification
- Easy-to-install water filter
- Recommended water source : tap water


4 Langkah Pemurnian Air → Air Siap



Carbon : Rp. 80.000
PPF : Rp. 100.000
RO : Rp. 370.000



Hot & Cold Buttons



Selang Air Keluar



Pompa Air

| TYPE | DIMENSION (cm) | | | WATT (220V/1P) | | TEMP. (°C) | | REFRIG. | WEIGHT (kg) |
|----------------|----------------|------|-----|----------------|------|------------|--------|---------|-------------|
| | L | W | H | Hot | Cold | Hot | Cold | | |
| ISON-RO | 31 | 35,5 | 109 | 190 | 100 | ± 95 | ± 10°C | R134a | 22 |



Juice Dispenser

GEA

bali
coolers
www.balicoolers.com

Dispenser untuk mendinginkan minuman siap saji (ready-to-drink) sekaligus menjaga kesegaran dan daya tahan produk lebih lama. Tersedia dalam dua jenis, sistem aduk (stirring) dan sistem semprot (spray).



SISTEM SEMPROT (SPRAY)

Features

- Digital Thermostat, adjust the temperature of each bowl
- Switch panel
- 12 liter tank/pcs
- R290, CFC free
- Stainless steel chassis and panel
- Polycarbonat tank
- Mixing system, stiring / spray



LS 12x1



LS 12x2



SISTEM ADUK (STIRRING)



LP-12x1



LP-12x2



LP-12x3



| TYPE | DIMENSION (cm) | | | VOL. (l) | TEMP. (°C) | WATT (220V/1P/50Hz) | REFRIG. | WEIGHT (kg) | |
|---------|----------------|----|------|----------|------------|---------------------|---------|-------------|-------|
| | L | W | H | | | | | Nett | Gross |
| LP-12x1 | 30 | 45 | 63,5 | 1 x 12 | +7 | 270 | R290 | 20 | 22 |
| LP-12x2 | 42 | 45 | 63,5 | 2 x 12 | +7 | 350 | R290 | 28 | 31 |
| LP-12x3 | 68 | 45 | 63,5 | 3 x 12 | +7 | 450 | R290 | 36 | 40 |
| LS-12x1 | 30 | 45 | 67 | 1 x 12 | +7 | 286 | R290 | 20 | 22 |
| LS-12x2 | 42 | 45 | 67 | 2 x 12 | +7 | 382 | R290 | 28 | 31 |

COOLERS



Slush (Granita) Machine



www.balicoolers.com

Mesin dengan temperatur -2 ~ -10°C yang mudah dioperasikan untuk membuat es salju dan slurpee.



MY GRANITA-1X



MY GRANITA-2X



MY GRANITA-3X

Features

- LED Light (front)
- Digital controller
- Lid and handle
- Refrigerant R290, CFC free
- Front panel : Stainless steel
- Easy to operate
- Removable bowls
- Keep your slushy at a consistent temperature

| TYPE | DIMENSION (cm) | | | WATT (220V/1P/50Hz) | SUGAR CONTENT | TEMP. (°C) | VOL. | REF. | WEIGHT (kg) | |
|---------------|----------------|----|----|------------------------|------------------|---------------|-------|------|-------------|-------|
| | L | W | H | | | | | | Nett | Gross |
| MY GRANITA-1X | 28 | 61 | 94 | 425 | 5%~18% | | 1x12L | | 35 | 50 |
| MY GRANITA-2X | 49,6 | 61 | 94 | 764 | 5%~18% | -2 ~ -10 | 2x12L | R290 | 57 | 76 |
| MY GRANITA-3X | 71,4 | 61 | 94 | 1219 | 5%~18% | | 3x12L | | 78,4 | 101 |

Note : Kadar gula minimal 18% (dalam 1 liter sirup, kandungan gula pasir minimal 180 gram).



